



# PCIF BEARING LIMITED



## 45 mm x 75 mm x 16 mm skf 6009 bearing

Bearing No. 6009

6009 Bearing 2D drawings and 3D CAD models

Size	75x45x16 mm
Bore Diameter	75 mm
Outer Diameter	45 mm
Width	16 mm
d	45 mm
D	75 mm
B	16 mm
d <sub>1</sub>	54.75 mm
D <sub>2</sub>	67.8 mm
r <sub>1,2</sub> - min.	1 mm
d <sub>a</sub> - min.	50.8 mm
D <sub>a</sub> - max.	69.2 mm
r <sub>a</sub> - max.	1 mm
Basic dynamic load rating - C	22.1 kN
Basic static load rating - C <sub>0</sub>	14.6 kN
Fatigue load limit - P <sub>u</sub>	0.64 kN
Reference speed	20000 r/min
Limiting speed	12000 r/min
Calculation factor - k <sub>r</sub>	0.025
Calculation factor - f <sub>0</sub>	14.9
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.25



## PCIF BEARING LIMITED

EAN	7316577094339
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	45MM Bore; 75MM Outside Diameter; 16MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6009
Weight / LBS	0.55
Outside Diameter	2.953 Inch   75 Millimeter
Bore	1.772 Inch   45 Millimeter
Outer Race Width	0.63 Inch   16 Millimeter
d <sub>1</sub>	54.75 mm
D <sub>2</sub>	67.8 mm
r <sub>1,2</sub> min.	1 mm
d <sub>a</sub> min.	50.8 mm



## PCIF BEARING LIMITED

$D_a$ max.	69.2 mm
$r_a$ max.	1 mm
Basic dynamic load rating C	22.1 kN
Basic static load rating $C_0$	14.6 kN
Fatigue load limit $P_u$	0.64 kN
Calculation factor $k_r$	0.025
Calculation factor $f_0$	14.9
Mass bearing	0.24 kg